

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



(19)

(11) Publication number:

03242156 A

Generated Document

PATENT ABSTRACTS OF JAPAN(21) Application number: **02037240**(51) Intl. Cl.: **A62C 11/00 A45F 3/16 A62C 13/62 C02F**
1/00(22) Application date: **20.02.90**

(30) Priority:

(43) Date of application publication: **29.10.91**

(84) Designated contracting states:

(71) Applicant: **HATANO JIRO****HATANO SHIGERU**(72) Inventor: **HATANO JIRO****HATANO SHIGERU**

(74) Representative:

**(54) WATER BAG FOR
DRINK SERVING ALSO AS
INITIAL FIRE FIGHTING**

(57) Abstract:

PURPOSE: To simply use water subjected to water cleaning treatment for a drink or other applications by providing separately a grip part, a water pouring part and a water discharging part on the upper part position of a water bag structure body, and attaching a water cleaning implement of a suitable shape for

gripping to the position of the grip part.

CONSTITUTION: The structure of a water storage container is formed by a water bag-like structure, and in the upper part position of its water bag structure body 1, the grip part 4 is provided. In a position separated from the position of its grip part 4, the water pouring part 2 and the water discharging part 3 are provided separately. Also, to a position of the grip part 4, a water cleaning implement 7 is attached in advance, and it is formed in a shape being suitable for gripping the part of its water cleaning implement 7. Thus, confirmation can be executed by only looking at how much water is housed in a container from the outside. Also, water subjected to water clearing treatment can be used easily for a drink or other applications.

Moreover, the water clearing implement attached to the grip part is formed in a shape being suitable for gripping, therefore, handling can be executed by only holding the grip part, and there is such an effect as it does not occur that a user injures his hand or he cannot hold it easily.

COPYRIGHT: (C)1991,JPO&Japio

